Analía Davalos

CENTURY 21. Territorio

ID: 23511 analia.davalos@c21.com.py +595975334286



Departamento-en-pozo for Sale

Dr. Toribio Pacheco Recoleta, Asunción

Sale: US\$ 113,700

Property type: Departamento-en-pozo		Operation: Sale	
• Land: 680.0 sqm • Building: 6,670.0 sqm			
• Pool	Pets Allowed	Tipo Vista: Ciudad	• Estilo de Vida: Ciudad
Property status Age: Without Mortgage: Yes			





Description

Are you looking for an apartment to live in or invest in one of the areas with more profitability and added value in Asunción?

Doble Pacheco is located in the vibrant Recoleta neighborhood, next to the Villa Morra and Los Laureles neighborhoods. One of the areas with the most profitability and capital gains. Strategic location with all services around it including shopping malls, restaurants, supermarkets, banks, schools. For those seeking comfort and urban life

• 14 floors with 59 apartments and 13 high-quality amenities.

-Single room from 34 m2 \$47,300

-Duplex which is the star typology of this building from 56 m2 \$ 78,500

-2 bedrooms from 81 m2 \$ 113,700

Delivery scheduled for October 2025, supported by Lewe Desarrollos and Tres61. This alliance promises to offer a high quality product that will meet the expectations of investors and residents.

We offer financing during the work with an initial payment of 20 or 30%.

Amenities: Panoramic Pool Large Gym Air-conditioned and equipped barbecue area Terrace Laundry Generator for common areas

All apartments are delivered with pre-installation of Air Conditioning and TV in the living room and bedrooms, kitchen furniture, stove, oven, granite countertops, closets.

Location

Dr. Toribio Pacheco , Recoleta, Asunción

References



Photo Catalog























Avda Mcal López esq José Ocampos Lanzoni,San Cristobal, Asunción T +595 986 818490 | territorio@c21.com.py | www.century21.com.py

Property subject to availability. Price subject to change without notice.

The sending of this file does not commit the parties to the subscription of any legal document. The information and measurements are approximate and must be confirmed with the relevant documentation.